

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A01N 47/34, A61K 31/17	A1	(11) International Publication Number: WO 98/25466 (43) International Publication Date: 18 June 1998 (18.06.98)
(21) International Application Number: PCT/EP97/06965 (22) International Filing Date: 9 December 1997 (09.12.97) (30) Priority Data: MI96A002602 12 December 1996 (12.12.96) IT (71) Applicant (for all designated States except US): ISAGRO S.P.A. [IT/IT]; Via Felice Casati, 20, I-20124 Milano (IT). (72) Inventors; and (75) Inventors/Applicants (for US only): BETTARINI, Franco [IT/IT]; Via Cadore, 4/B, I-28100 Novara (IT). PICCARDI, Paolo [IT/IT]; Via E. De Marchi, 8, I-20162 Milano (IT). (74) Agents: DE GREGORI, Antonella et al.; Ing. Barzano' & Zanardo, Milano S.p.A., Via Borgonuovo, 10, I-20121 Milano (IT).	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	

(54) Title: COMPOSITIONS FOR THE SYSTEMIC CONTROL OF PARASITES OF WARM-BLOODED ANIMALS



(57) Abstract

Compositions comprising an effective quantity of 1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoromethoxyethoxy)phenyl]-3-(2,6-difluorobenzoyl)urea having formula (I), and a pharmaceutically acceptable carrier. The above compositions are useful for the systematic controlling of warm-blooded animal parasites.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

COMPOSITIONS FOR THE SYSTEMIC CONTROL OF PARASITES OF WARM-BLOODED ANIMALS


The present invention relates to compositions for the systematic control of warm-blooded animal parasites comprising an effective quantity of a particular arylbenzoylurea.

More specifically, the present invention relates to compositions comprising an effective quantity of 1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoromethoxyethoxy)phenyl]-3-(2,6-difluorobenzoyl)urea and a pharmaceutically acceptable carrier and their use for the systematic control of warm-blooded animal parasites.

The present invention also relates to the use of 1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoromethoxyethoxy)phenyl]-3-(2,6-difluorobenzoyl)urea as such for the systemic control of warm-blooded animal parasites.

European patent EP 271.923 describes the compound corresponding to 1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoromethoxyethoxy)phenyl]-3-(2,6-difluorobenzoyl)urea

having formula (I):



5

as having a high insecticidal activity.

The above patent also discloses a method for fighting infestations caused by harmful insects which consists in distributing the compound having formula (I), as such or in the form of a suitable composition, onto the surface of the infested area. This method of application is effective for the treatment of agricultural cultivations, basins and waterways, industrial and civil sites, but its utility is limited if the compound having formula (I) is to be adopted in the veterinary and zootechnical field, for example, for protecting domestic animals from these parasites which feed by sucking their host's blood, such as flees, ticks, louse, etc.


20 The Applicant has now found that the compound having formula (I) is surprisingly effective in protecting warm-blooded animals from ectoparasites and endoparasites, if it is systemically carried into the blood of the animal host as such or, preferably, by means of a suitable pharmaceutically acceptable compo-

25

sition.

In addition, as it has been observed that the compound having formula (I) has a very low oral toxicity, both acute and chronic, on mammals and birds, it does not have mutagen and tetragen effects and does not have the tendency to accumulate in adipose tissues, the use of this compound having formula (I), as well as being particularly effective, is also safe and harmless for the animals treated.


The present invention therefore relates to compositions comprising an effective quantity of 1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoromethoxyethoxy)phenyl] 3-(2,6-difluorobenzoyl)urea having formula (I):




and a pharmaceutically acceptable carrier.

The above compositions can be used for the systemic control of warm-blooded animal parasites.


The compound having formula (I) can be prepared by means of a process which comprises the reaction of 3-chloro-4-(1,1,2-trifluoro-2-trifluoromethoxyethoxy)aniline having formula (II):




with 2,6-difluorobenzoylisocyanate having formula (III):



Alternatively, the compound having formula (I) can be prepared by a process which comprises the reaction of 3-chloro-4-(1,1,2-trifluoro-2-trifluoromethoxyethoxy)phenylisocyanate having formula (IV):



with 2,6-difluorobenzamide having formula (V):



The above processes are carried out in an anhydrous environment and in the presence of an inert solvent, at a temperature ranging from 0°C and the boiling point of the reaction mixture.

Examples of inert solvents suitable for the purpose are aromatic hydrocarbons such as, for example, benzene, toluene, xylene, chlorobenzene; chlorinated hydrocarbons such as, for example, methylene chloride, chloroform, carbon tetrachloride, dichloroethane; ethers such as, for example, diisopropylether, tetrahy-

drofuran, dioxane.

The compounds having formula (III) and (V) can be prepared according to methods which are well known in literature. The compound having formula (V) is also
5 commercially available.

The compound having formula (II) can be prepared as described, for example, in European patent EP 271.923.

The compound having formula (IV) can be prepared
10 starting from the compound having formula (II) and phosgene, operating according to an analogous procedure to that described, for example, by Blatt in: "Organic Synthesis" (1959), Collective Vol. 2, pages 453-455, John Wiley Ed., New York.

15 Carriers which can be used for the purposes of the present invention can be liquids or solids according to the method of administration. In fact, the above compositions can be administered in any form which allows them to be introduced into the blood of the
20 animal to be protected such as, for example, orally or by percutaneous administration.


Carriers which are suitable for the purpose are those which do not have harmful effects on the animals to be treated and which do not negatively influence the
25 method of application or the desired results.

Examples of liquid carriers which can be used for the purposes of the present invention are: water, N-methylpyrrolidone, vegetable oil, glycols, etc.

Examples of solid carriers which can be used for the present invention are: talc, clay, molasses in powder form, cellulose and its derivatives, lactose, starch, colloidal silica, magnesium stearate, stearic acid, etc.

The compound having formula (I) can also be administered to the animals to be treated as such.

The use of 1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoromethoxyethoxy)phenyl]-3-(2,6-difluorobenzoyl)urea having formula (I):



is therefore included in the scope of the present invention for the systemic control of warm-blooded animal parasites.

The oral administration can be carried out by mixing the compound having formula (I), as such or formulated with a suitable carrier, in the food or drinking water, or administering it in the form of long drinks, tablets, capsules, etc.

When the compound having formula (I) is administered as an additive to the food of animals, it is convenient to prepare a "premix" in which the compound having formula (I) is dispersed in a liquid or solid
5 carrier. The "premix" is then dispersed in the food using, for example, a conventional mixer.

When the compound having formula (I) is administered as an additive to drinking water or as a long drink, it is convenient to use a suspendible formulation.
10 tion. This formulation can be, for example, a concentrated suspension which is mixed with the water or a dry preparation which is mixed and suspended in the water. In both cases, it is preferable to have the compound having formula (I) in a finely pulverized
15 form.

The compound having formula (I) can be easily formulated into capsules or tablets, according to the methods traditionally used in pharmaceutical practice. Gelatine capsules contain the active principle (compound having formula (I), in the present case) and
20 solid carriers such as, for example, colloidal silica, lactose, starch, derivatives of cellulose, magnesium stearate, stearic acid and the like. These carriers can also be used to make tablets. Both tablets and capsules
25 can be produced as drugs with controlled release in

order to provide a continuous release of the active principle for a certain period, for example, several hours.

The percutaneous administration, can be conveniently carried out by means of subcutaneous, dermal, intermuscular or intravenous injection according to the methods normally used in pharmaceutical and veterinary practice.

The percutaneous administration can also be carried out by absorption of the compound having formula (I) through the epidermis of the animal to be treated. This absorption takes place as a result of surface treatment of the animal to be treated by immersion, wetting, spraying, powdering, smearing, etc.

When the percutaneous administration is carried out by injection, an injectable suspension can be conveniently prepared by suspending the compound having formula (I), in the form of fine powder, in a formulation of pharmaceutically acceptable liquid carriers. Liquid carriers which can be used for the purpose are, for example, vegetable oils such as peanut oil, corn oil, etc; glycols such as polyethylene glycols, etc; water, etc.

In the injectable suspensions as well as in suspensions administered in long drinks or in drinking

water, it may be necessary to have the presence of physiologically compatible adjuvants such as, for example, emulsifying agents, suspending agents, dispersers, thickeners, surface-active agents, etc.

5 Examples of emulsifying agents which can be used for the purpose are: salts of dodecylbenzenesulfonate and toluenesulfonate, adducts of ethylene oxide and alkylphenols, esters of oleic acid or stearic acid, etc.

10 Examples of dispersers which can be used for the purpose are: salts of naphthalenesulfonate, lignin sulfonate, sulfates of fatty alcohols, etc.

 Examples of thickeners which can be used for the purpose are: carboxymethylcellulose, polyvinylpyrrol-
15 idone, gelatine, alginates, etc.

 Examples of surface-active agents which can be used are: lecithin, esters of polyoxyethylene sorbitan, etc.

 The compositions of the present invention can
20 contain, as well as the compound having formula (I), other antiparasitic agents such as, for example, other insecticides, acaricides, anthelminthics, etc.

 Examples of insecticides and/or acaricides which can be used for the purposes of the present invention
25 are: chlorpyrifos, coumaphos, dichlorvos, diazinon,

dimethoate, fenthion, malathion and other phosphorganic products; lindane, nicotine, rotenone, natural pyrethrin-
es and synthetic pyrethroids; avermectine, milbemycin
and their derivatives, fenoxycarb, pyriproxyfen,
5 diofenolan, 1-(5-chloro-4-pentinyloxy)-4-phenoxybenzene
and other products with a young hormone activity;
imidacloprid, acetamiprid, nitenpyram, ~~lipronil~~.

The compositions of the present invention can contain, in addition to the compound having formula
10 (I), other biologically active substances such as, for example, medicines, growth promoters, vitamins, mineral salts, etc.

Warm-blooded animal parasites which can be effectively controlled using the compositions of the present
15 invention or the compound having formula (I) as such are the following:

- mites belonging to the suborders Mesostigmata, Sarcoptiformes, Trombidiformes and Onychopalpida;
- 20 - louse belonging to the orders Anoplura and Mallophaga;
- ticks belonging to the Ixodidae and Argasidae families;
- flees belonging to the Pulicidae and Ceratophylli-
25 dae families;

nothing more than obvious to combine similarly active agents

- bugs of various types;
 - Triatoma and other Heteroptera;
 - diptera belonging to the suborders Brackycera, Cyclorrhapha and Nematocera;
 - 5 - helminths belonging to the Nematoda, Acantocephala, Cestoidea, Trematoda groups;
 - protozoa belonging to the order Coccidia and to the Trypanosomatidae, Trichomonadidae and Endamoebidae families.
- 10 Warm-blooded animals which can be treated using the compositions of the present invention or the compound having formula (I) as such are, apart from human beings, domestic animals such as cattle, horses, sheep, goats, poultry, pigs, dogs and cats.
- 15 The present invention also relates to the use of the above compositions for the systemic control of warm-blooded animals.
- The dosage of the compound having formula (I), whether it be administered as such or using the above
- 20 compositions, can vary depending on various factors such as the means of administration, the type and degree of infestation, the age, state of health, body weight of the animal to be treated, the frequency of the treatment, desired effects. Dosages of the compound
- 25 having formula (I) generally between 0.01 mg and 1000

mg per kg of the body weight of the animal to be treated, preferably between 0.1 mg and 100 mg per kg of body weight, are sufficient to eradicate the parasites without prejudicing the health of the animals treated.

- 5 Some illustrative examples are provided for a better understanding of the invention and for its embodiment, but do not restrict the scope of the invention in any way.

EXAMPLE 1

- 10 Preparation of 3-chloro-4-(1,1,2-trifluoro-2-trifluoromethoxyethoxy)aniline having formula (II).

Perfluoromethylvinylether (1.66 g, 10 mmoles), in a mixture consisting of 2-chloro-4-aminophenol (1.44 g, 10 mmoles), dimethylsulfoxide (20 ml), toluene (20 ml)
15 and potassium carbonate in powder form at 85% (100 mg) is bubbled into a 100 ml flask, under nitrogen, at 0°C.

The mixture is maintained under stirring at 0°C for 3.5 hours. Water (100 ml) is subsequently poured in and the mixture is extracted with ethyl ether. The
20 organic extract is anhydriified with sodium sulfate, filtered and concentrated to give 3 g of aniline having formula (II).

The spectrometric analysis gave the following results:

- 25 ¹H-NMR (CDCl₃): 7.28-6.4 (m, 3H); 6.3-5.69 (dt, 1H);

3.58 (bs, 2H).

EXAMPLE 2

Preparation of 1-[3-chloro-4-(1,1,2-trifluoro-2-tri-
fluoromethoxyethoxy)phenyl]-3-(2,6-difluorobenzoyl)urea
5 [Compound (I)].

The aniline having formula (II) (22.7 g, 73.3
mmoles), obtained as described in Example 1, is dis-
solved in anhydrous chlorobenzene (60 ml), in a 500 ml
flask maintained under a nitrogen atmosphere.

10 A solution of 2,6-difluorobenzoylisocyanate having
formula (III) (13.4 g, 73.3 mmoles) in anhydrous
chlorobenzene (40 ml) is added dropwise to the above
solution, maintaining the whole mixture under stirring,
at room temperature.

15 The stirring is continued for 12 hours after
heating to 100°C. The mixture is subsequently cooled to
0°C and the solid which is formed is filtered. The
solid is then washed with cold hexane and dried under
nitrogen.

20 30.5 g of Compound (I) are obtained (61.92 mmoles)
with a melting point of 172°C-174°C.

EXAMPLE 3

Formulation of Compound (I) as diet additive

A solid mixture is prepared consisting of Compound
25 (I), obtained as described in Example 2, and clay in

the following weight percentages:

- 5% of Compound (I);
- 95% of clay.

The above mixture is then finely pulverized and
5 remixed by grinding. The composition thus obtained is
then mixed with the food forming the diet of the
animals to be treated.

EXAMPLE 4

Formulation of Compound (I) in tablet-form.

10 Following the conventional procedures, tablets are
prepared each containing Compound (I) in a finely
pulverized form (100 mg), colloidal silica (0.2 mg),
magnesium stearate (5 mg), microcrystalline cellulose
(275 mg), starch (11 mg) and lactose (98.8 mg).

15 Tablets containing dosages of between 20 mg and
200 mg of active principle can be analogously prepared.

EXAMPLE 5

Preparation of Compound (I) in gelatine capsules.

Standard capsules consisting of two parts of hard
20 gelatine, are filled with a mixture of lactose (150
mg), cellulose (50 mg), magnesium stearate (6 mg) and
Compound (I) in a finely pulverized form (25 mg).

Capsules containing the active principle in
quantities varying from 5 mg to 50 mg can be analogous-
25 ly prepared.

EXAMPLE 6

Systemic activity of Compound (I) for controlling flees.

Four dogs are infested with flees belonging to the species Ctenocephalides felis and subdivided into two groups of two individuals.

One group (C1 and C2) is treated for 10 consecutive days with a daily dosage of 5 mg/kg of body weight of Compound (I), administered orally by the addition to the daily diet of the composition obtained as described in Example 3.

The second group of dogs (C3 and C4) is used as a control and is fed with the same diet as the first group but without the addition of Compound (I).

After 3, 8 and 10 days of treatment the eggs of the flees used for the infestation, are collected on sheets of paper placed under the cages where the dogs are kept for the whole duration of the treatment. The eggs are counted, placed on an artificial culture medium and incubated. The number of pupae and adults of flees which emerge is determined and indicated in Table 1.

Animal	Days after treatment								
	3			8			10		
	u ⁽¹⁾	p ⁽²⁾	a ⁽³⁾	u ⁽¹⁾	p ⁽²⁾	a ⁽³⁾	u ⁽¹⁾	p ⁽²⁾	a ⁽³⁾
C1	328	0	0	126	0	0	73	0	0
C2	206	0	0	18	0	0	13	0	0
C3	520	338	322	339	263	241	148	137	122
C4	930	539	358	527	430	398	301	258	208


u⁽¹⁾: eggs

p⁽²⁾: pupae

a⁽³⁾: adults

CLAIMS

1. Compositions for the systemic control of warm-blooded animal parasites comprising an effective quantity of 1-[3-chloro-4-(1,1,2-trifluoro-2-tri-
5 fluoromethoxyethoxy)phenyl]-3-(2,6-difluorobenzoyl)urea having formula (I):



10

and a pharmaceutically acceptable carrier.

2. The compositions according to claim 1, wherein the carrier is liquid or solid.
3. The compositions according to claim 2, wherein the
15 liquid carrier is selected from water, N-methylpyrrolidone, vegetable oils, glycols.
4. The compositions according to claim 2, wherein the solid carrier is selected from talc, clay, molasses in powder form, cellulose and its derivatives,
20 lactose, starch, colloidal silica, magnesium stearate, stearic acid.
5. The compositions according to any of the previous claims, comprising other antiparasitic agents or other biologically active substances.
- 25 6. The compositions according to claim 5, wherein the


antiparasitic agents are: insecticides, acaricides, anthelmintics.

7. The compositions according to claim 6 wherein the insecticides and/or acaricides are: chlorpyrifos, coumaphos, dichlorvos, diazinon, dimethoate, fenthion, malathion and other phosphorganic products; lindane, nicotine, rotenone, natural pyretrines and synthetic pyretroids; avermectine, milbemicine and their derivatives, fenoxycarb, pyriproxyfen, diofenolan, 1-(5-chloro-4-pentinyloxy)-4-phenoxybenzene and other products with a young hormone activity; imidacloprid, acetamiprid, nitenpyram, ~~fipronil~~.

8. The compositions according to claim 5, wherein the biologically active substances are: medicines, growth promoters, vitamins, mineral salts.

9. The use of the compositions according to any of the previous claims, for the systemic control of warm-blooded animal parasites.

10. The use of the compound having formula (I):



- for the systemic control of warm-blooded animal parasites.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 97/06965

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A01N47/34 A61K31/17

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A01N A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, Y	EP 0 271 923 A (DONEGANI GUIDO IST) 22 June 1988 cited in the application see page 2, line 4 see page 2, line 27 - line 45 see page 4, line 3 see page 4, line 6 see claim 4	1-10
Y	US 5 135 953 A (POTTER MICHAEL F ET AL) 4 August 1992 see the whole document --- -/-	1-10

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

20 April 1998

Date of mailing of the international search report

29/04/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Lamers, W

INTERNATIONAL SEARCH REPORT

Inter. Appl. Application No
PCT/EP 97/06965

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 337 600 A (SUMITOMO CHEMICAL CO) 18 October 1989 see page 3, line 1 - line 16 see page 3, line 38 - line 43 see page 5, line 23 see page 7, compound no. (11) ----	1-10
A	EP 0 425 443 A (CIBA GEIGY AG) 2 May 1991 see the whole document ----	1-10
A	US 4 089 975 A (WADE LISBY LUCIUS ET AL) 16 May 1978 see the whole document -----	1-10

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

page 2 of 2

Printed from Mimosa 16:37:13

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 97/06965

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0271923 A	22-06-88	AU 8252987 A	23-06-88
		CA 1287646 A	13-08-91
		CN 1018547 B	07-10-92
		DK 664687 A,B,	20-06-88
		EG 18916 A	29-09-94
		JP 2076493 C	09-08-96
		JP 7103086 B	08-11-95
		JP 63165356 A	08-07-88
		MX 168654 B	02-06-93
		ZA 8709383 A	09-06-88
US 5135953 A	04-08-92	AU 599313 B	19-07-90
		AU 5300686 A	29-07-86
		BR 8507149 A	31-03-87
		DK 408286 A	17-10-86
		EP 0211004 A	25-02-87
		FI 863490 A	28-08-86
		OA 8537 A	30-09-88
		PT 81768 B	02-10-87
		WO 8603941 A	17-07-86
		US 5420163 A	30-05-95
EP 0337600 A	18-10-89	AU 3012989 A	31-08-89
		JP 2138247 A	28-05-90
EP 0425443 A	02-05-91	AP 217 A	10-09-92
		AU 632862 B	14-01-93
		AU 6499890 A	02-05-91
		CA 2028536 A	28-04-91
		JP 3161438 A	11-07-91
		US 5177110 A	05-01-93
US 4089975 A	16-05-78	NONE	

Form PCT/ISA/210 (patent family annex) (July 1992)